

Step Right Up!

Kerry Keegan & Caitlin Hafen
7/30/15
IDS Project Conference


The Web Platform

So...what is a web platform and why do we need one?

- An instruction manual for what a program can do
- **API:** Agreed language where networks can talk to each other
- **Web service:** Interface for other computers to talk to that service, instead of needing a person
- Can use these list of commands to connect with other services and make ILLiad more flexible

The Web Platform

- ILLiad can now talk to the Policies Directory to look up more information
- Different colors can be used for Days to Respond (1, 2, 4, 8, 12, 16, and 20), and can be customized from the ILLiad Options form.




The screenshot shows a window titled "OCLC Preferences" with the following settings:

Response Time	Color
Holdings Sort Order	Default
1 Day to Respond	Green
2 Days to Respond	Green
4 Days to Respond	White
8 Days to Respond	Grey
12 Days to Respond	Yellow
16 Days to Respond	Orange
20 Days to Respond	Red

Time Saving Tip

The grid of Holdings symbols now shows you the Days to Respond

**Copies on the top,
Loans on the bottom**



NY [US]	
EKL	8 8
NYP	12 12
VUE	4 4

Now you don't have to hover and wait to see this information!

Electronic Delivery Utility

ILLiad Electronic Delivery Utility - Lending

Process Type Refresh Empty Backup Folder Auto Bill Default **Process**

Transactions Log

Process	Status	Transaction Number	ILL Number	Title	System ID	Pages	Borrower Symb
<input checked="" type="checkbox"/>	Ready to send	10	107899767		OCLC	0	TRNAB
<input checked="" type="checkbox"/>	Ready to send	11	107899887		OCLC	0	TRNAB
<input checked="" type="checkbox"/>	Ready to send	7	107896200		OCLC	0	TRNAB
<input checked="" type="checkbox"/>	Ready to send	8	107896846		OCLC	0	TRNAB
<input checked="" type="checkbox"/>	Ready to send	9	107899651		OCLC	0	TRNAB

Category	Base Fee	Per Page Fee	Quantity	Total
Standard Charges	10.00	10.00	0	10.00
Copyright Fees	0.00	0.00	0	0.00
				0.00
				0.00
No Additional Charges (1)				0.00
No Additional Charges (2)				0.00
No Additional Charges (3)				0.00
Billing Notes			Total	10.00
				Charge

Found 5 transactions

0%

Electronic Delivery Utility

**Changed name from “Odyssey Helper”
to “Electronic Delivery Utility”**


Can now send files using both
Odyssey and Article Exchange

Electronic Delivery Utility

It will find:

- Lending requests at the status of In Stacks Searching and Doc Del Requests at the status of In DD Stacks Searching
- Transactions that have a PDF or TIFF file with a name matching the transaction number in the location specified in the ILLiad Customization Manager

Electronic Delivery Utility



Auto Mode checks for requests every minute and tries to send them automatically

Process Type	Status	Transaction Number	ILL Number	Title	System ID	Pages	Username
Lending	Failed	103	107969455		OCLC	1	
Lending	Failed	104	107969460		OCLC	1	
Lending	Failed	188			OTH	0	
Doc Del	Sent	190				1	illiaduser
Doc Del	Sent	191				1	illiaduser
Doc Del	Sent	192				1	illiaduser

Document Sent 0%

Auto Mode checks for requests every minute and tries to send them automatically

If successful, the request will move to Request Finished. If it fails, it will be moved back to In Stacks Searching/ In DD Stacks Searching

Time Saving Tip

Point the path keys:

- **ElectronicDeliveryUtilityImagesPathDocDel**
- **ElectronicDeliveryUtilityImagesPathLending**

to a share drive that both your scanner and ILLiad clients can access.

With AutoMode, the items will deliver straight from this folder, without ever having to see the client.

Time Saving Tip

Turn Article Exchange sending on using the **SendArticleExchangeOnOdysseyFailure** key

If a request is sent via Odyssey and it fails, the Electronic Delivery Utility will then use Article Exchange to send the article

Web Pages

Web aliases can be easily created, edited, and deleted in the ILLiad Customization Manager from the DisplayStatuses table



Web Pages

DisplayStatuses

ID	NVTGC	ProcessType	TransactionStatus	WebDisplayStatus
1	ILL	Borrowing	Request Sent	Waiting for Lender
2	ILL	Borrowing	Awaiting OCLC Sending	Waiting for Lender
3	ILL	Borrowing	Request Held Until (. +)	Held til \$1
4	ILL	Borrowing	(Awaiting?)(. +) Processing	\$1Some Super \$2 Magic
5	ILL	Borrowing	Awaiting Request Processing	This status won't be shown since #4 would be picked up
6	ILL	Lending	Awaiting LOCL Request Processing	Awaiting High Priority Lending Processing

Edit Row

ID	
NVTGC	ILL
ProcessType	Lending
TransactionStatus	Awaiting Recall Processing
WebDisplayStatus	Please send material back

Web Pages

You can set more complex password requirements for your patrons accounts

This is for ILLiad authentication users and is regulated in the Customization Manager's WebValidation table

✔ With the ILLiad default password requirement, passwords must contain:

- At least **8** characters
- At least **1** lowercase letter
- At least **1** uppercase letter
- At least **1** number

Web Pages

You can see all possible web Table customization options for the ILLiad web pages in the documentation

<https://prometheus.atlas-sys.com/display/illiad/TABLE+Tags>

```
<#TABLE name="ViewOutstandingRequests" headerText="Outstanding Requests"
noDataAction="ShowMessageRow"noDataMessage="No Requests"
column="TransactionNumber:Transaction" column="DocumentType:Type"
column="Title" column="Author" column="TransactionStatus:Status"
orderBy="RequestType,DocumentType, TransactionNumber DESC">
```

Time Saving Tip


Tired of “What does ‘Request Sent’ mean?”
phone calls?



Users

You can now block patrons specifically for overdues

- You can choose whether or not to do this with the BorrowingBlockOnThirdOverdue key
- The block will happen automatically
- The block will be lifted once the overdue items are returned



Users

We've added new fields in the UserValidation table:

- UserInfo 1-5
- WebAuthType

*This has
allowed...*

Photo: Camirand Costume: Dominique Lemieux © 2005 Cirque du Soleil



Users

...the ability to load patron information
for RemoteAuth and LDAP users!

Users

Two ways to use:

- 1. Auth** indicates that the User record will be used to authenticate a user. If a user successfully authenticates and their User record does not already exist, a User record will be created with information from the UserValidation data.
- 1. Load** is only applicable when using a WebAuthType of LDAP or when Remote AuthSupport is enabled. If so, the default WebAuthType will be used and the UserValidation data is only used to populate a newly created User record after a user successfully authenticates.

Time Saving Tip

- Set up a recurring job that uploads patron information to the server.
- New, qualified users will be logged directly into ILLiad, without having to register

No more junky patron data!



Email Notifications

- The To, From, CC, BCC, and Subject fields now allow tags to be included.
- Templates can now include a Staff Username, First Name, Last Name, and Description. These fields will be populated based on the staff user who is sending the email.
- The Edit Email form will now display the From and BCC addresses. The From field is read-only.

Email Notifications

- In the EmailCopies table, the EmailTo, EmailFrom, EmailCC, and EmailBCC fields have been updated to nvarchar(max)
- The Subject field has increased to nvarchar(255). Email subjects larger than 255 characters will be truncated

Email Notifications

Cancellation email templates have been split based on request type. The following templates now exist:

- Borrowing Cancellation Article
- Borrowing Cancellation Loan
- Doc Del Cancellation Article
- Doc Del Cancellation Loan
- Lending Cancellation Article
- Lending Cancellation Loan



Time Saving Tip

Let the updater convert your templates for you!

- Make sure to use the file name from the Email Routing entry INCLUDING the .TXT. This will make the ILLiad updater recognized the template and that it will update your field tags.
 - For example, if you have an Email Routing template named Recall.txt, when you create the new template in the ILLiad Customization Manager you will need to name it **Recall.txt**.
- After you update, if you want to you can remove the .txt from the Template name and from the Email Routing entry. The .txt in the name is only needed when updating to make sure the tags are updated.

Text Notifications

- Users can now choose if they want to receive notifications specifically for electronic delivery items. These notifications are separate from loan notifications.
- All users will be automatically subscribed to electronic delivery notifications at first, but this can now be changed.
- A checkbox has been added to the User form to enable or disable notifications for electronic delivery.

Text Notifications

- Users' Notification Method will be changed from E-mail to Electronic.
- Staff and/or patrons can specify which notifications to send as Email and which to send as SMS.
- The Mobile Phone field has been added to the User record and will be used for SMS notifications.
- Text message templates can be created and edited in the ILLiad Customization Manager.

Text Notifications

In order for SMS/Text notifications to send successfully:

- Use the Atlas Twilio server addon (or create your own)
- You must have a subscription with Twilio
<https://www.twilio.com/>
- Set up SMS-specific templates
- Add phone numbers to the Mobile Number field in patron User records
- The user must have the desired notifications checked in the SMS Notifications section on their User record

Text Notifications

- A checkbox can also be added to your web pages for patrons
- The `include_notification_preferences.html` allows this to happen



Time Saving Tip

Make sure all your users have Electronic Delivery set to “Yes” before the 8.6 update

Electronic Delivery Yes ▾

Notification Preferences

Notification Method Electronic ▾

Email Notifications	SMS Notifications
<input checked="" type="checkbox"/> Account Cleared	<input type="checkbox"/> Account Cleared
<input checked="" type="checkbox"/> Password Reset	<input type="checkbox"/> Password Reset
<input type="checkbox"/> Item Pickup	<input checked="" type="checkbox"/> Item Pickup
<input type="checkbox"/> Item Shipped	<input type="checkbox"/> Item Shipped
<input checked="" type="checkbox"/> Electronic Delivery	<input type="checkbox"/> Electronic Delivery
<input type="checkbox"/> Overdue	<input checked="" type="checkbox"/> Overdue
<input type="checkbox"/> Cancelled	<input type="checkbox"/> Cancelled
<input checked="" type="checkbox"/> Other	<input type="checkbox"/> Other

This will ensure that their Notification Method is set to Electronic and that the right boxes are checked

Database

- The History tab is now available for custom searching
- The MatchString field in the Routing table has been updated in the database to allow nvarchar(max) values, expanding the previous 250 character limit.



Database

The DownloadInProgress routine will now be part of the 12 hour sync done by the ILLiad Connection Manager

If you manually added DownloadInProgressOnNextRun customization key, it will be removed

No more worries about items stuck in WorldShare “In Process”!



Time Saving Tip

No limits! Make those super crazy routing rules!
Combine multiple routing rules into single strings!



Print Templates

- Shipping Addresses table
- Can replace, if necessary, with LA_Address

The screenshot shows a mail merge software interface. The 'Insert Merge Field' button is highlighted in blue. A dropdown menu is open, showing a list of fields. The field 'LA_LibraryName' is highlighted in blue. A red arrow points from the 'Insert Merge Field' button to the dropdown menu. The background shows a preview of a shipping label with fields like 'Borrower: T', 'Lending String', 'Patron:', 'Journal Title: C', 'Volume: <#Ph', 'Month/Year: 2', 'Article Author:', 'Article Title:', 'Imprint:', and 'ILL Number:'. There are also barcode images and the text 'Atlas Systems ILL' and 'ILLiad TN: 2'.

Print Templates

Only the merged template now appears in MS Word

4	Doc Del	Doc Del Pull Slip
3	Doc Del	Doc Del Pull Slip
2	Lending	Lending Stacks
1	Borrowing	Borrowing Rec

The screenshot shows a Microsoft Word window titled 'Form Letters1 [Compatibility M...]' displaying a form letter template. The template includes a header section with 'Lending Stacks' and 'Lending Slip' fields, a main body with 'Borrowing Rec' and 'Doc Del Pull Slip' fields, and a footer section with 'Borrowing Rec' and 'Doc Del Pull Slip' fields. A red arrow points to the Word window.

Time Saving Tip

No pop-ups when printing!

The screenshot shows the ILLiad Client interface with the 'Print Sessions' window open. A 'Print Configurations' dialog box is overlaid on top, displaying a table of print configurations. A red arrow points to the 'Edit' column of this table.

Template	Printer	Filter	Sort Columns	Edit	Prompt
BorrowingLoanLabels.doc	Canon iR-ADV C5250/5255 UFR II			<input type="checkbox"/>	<input checked="" type="checkbox"/>
BorrowingLoanSlips.doc	Canon iR-ADV C5250/5255 UFR II			<input type="checkbox"/>	<input checked="" type="checkbox"/>
BorrowingReturnSlips.doc	Canon iR-ADV C5250/5255 UFR II			<input type="checkbox"/>	<input checked="" type="checkbox"/>
LendingArticleSlips.doc	Canon iR-ADV C5250/5255 UFR II			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
LendingLoanLabels.doc	Snagit 11			<input type="checkbox"/>	<input checked="" type="checkbox"/>
LendingLoanSlips.doc	Snagit 11			<input type="checkbox"/>	<input checked="" type="checkbox"/>
BorrowingArticleLabels.doc	Canon iR-ADV C5250/5255 UFR II			<input type="checkbox"/>	<input checked="" type="checkbox"/>
borrowingarticleslips.doc	Canon iR-ADV C5250/5255 UFR II			<input type="checkbox"/>	<input checked="" type="checkbox"/>
PrintRequest.doc	Snagit 11			<input type="checkbox"/>	<input checked="" type="checkbox"/>

Import into Resubmission



Clicking Import into Resubmission will now automatically delete the OCLC request for Unfilled requests

Electronic Delivery

The Resend Request button that is enabled when Odyssey sending fails has moved to the new Odyssey processing ribbon in Lending.

There is now also the ability to enable and disable Odyssey for a specific request.

Electronic Delivery


All sites can now receive PDFs!

The requirement for sites to first communicate with another site to determine if the other site can receive PDFs is no longer required.

Time Saving Tip

You can deliver all articles at once!

On the Electronic Delivery form, click the Review All checkbox then click Deliver



Review All

NOTE: The BillingActive key must be set to No.



Thank You!!!!

Stop us for questions or comments!

Email us at:

chafen@atlas-sys.com

kkeegan@atlas-sys.com