



Customization Manager 501



Welcome

Customization Manager 501 is right for you if:

- You know what the Customization Manager is
- You have to troubleshoot ILLiad and have technical expertise.
- You understand the phrase "Change a Key Value"





Your Presenters



Tim Bowersox Geneseo (YGM)



Chris Sisak Nazareth (XNC)



Bill Jones
IDS Project (YGM)



Logan Rath Brockport (XBM)





Who are you?

Name

Campus

Customization Manager experience





Routing Rules

Or...

How to move a request from

A B



IDSPROJECT

		Routing				
E Lending	RuleNo	RuleActive	ProcessType	TransactionStatus	MatchString	
System	0	Yes	Borrowing	Awaiting Copyright Clearance	t.DocumentType = 'Eres' AND t	
Aruce Exchange	1	Yes	Borrowing	Awaiting Copyright Clearance	t.RequestType='Article'	
# Billing	2	Yes	Borrowing	Awaiting Request Processing	t.RequestType='Article' AND t	
	3	Yes	Borrowing	Awaiting Request Processing	u.Status='GIST Guest'	
Custom Queues Database Manager Docline EMail General Integration ISOI LDefaults Columbia Columb	5	Yes	Borrowing	Awaiting Request Processing	(select 1 FROM GISTWeb gw V	
Dodine	7	Yes	Borrowing	Awaiting Request Processing	(select 1 FROM GISTWeb gw V	
EMail	8	Yes	Borrowing	Awaiting Request Processing	(select 1 FROM GISTWeb gw V	
General	9	Yes	Borrowing	Awaiting Request Processing	(select 1 FROM GISTWeb gw V	
in IDS	10	Yes	Borrowing	Awaiting Request Processing	(select 1 FROM GISTWeb gw V	
Integration Integration Integration	11	Yes	Borrowing	Awaiting Request Processing	len(t.LoanDate) = 4 and t.Loan	
⊕ ÆLOCI	13	No	Borrowing	Awaiting Request Processing	(select 1 FROM GISTWeb gw V	
⊕ ₹ oct	14	Yes	Borrowing	Awaiting Request Processing	t.RequestType='Loan' AND IS	
Printing	15	Yes	Borrowing	Awaiting Request Processing	t.RequestType='Loan' AND t.1	
⊕· 👧 Rapi	16	Yes	Borrowing	Awaiting IDS Local Processing	u.Status=u.Status	
i i RLIN	17	Yes	Borrowing	Milne Delivered to Web	u.Status=u.Status	
	18	Yes	Borrowing	Available in Milne	u.Status=u.Status	
Routing	19	Yes	Borrowing	Awaiting Document Delivery Processing	t.Location <> NULL AND t.Loc	
+- Nersions	23	Yes	Borrowing	Delivered to Web	t.DocumentType = 'Eres'	
+- Versions +- Web Platform	24	No	Borrowing	Awaiting Return Label Printing	t.TransactionNumber In (selec	
System Billing	25	Yes	Doc Del	Purchase Request Denied	u.Status=u.Status	
	28	Vec	Lending	Awaiting Shipping Label Printing	t PequestType - 'Loan'	





RuleNo	14
RuleActive	Yes
ProcessType	Borrowing
TransactionStatus	Awaiting Request Processing
MatchString	t.RequestType='Loan' AND ISNULL(t.LendingString,") not in ('Direct Request','RAPID','Manual Request',")
NewProcessType	Borrowing
NewTransactionStatus	Awaiting OCLC Sending
RuleDescription	Routing rule for IDS Circulation Availability Service

Anatomy of a routing rule

- **RuleNo** = Each rule waits in line. This sets the order.
- **RuleActive** = The on/off switch.
- ProcessType = Apply this rule to Borrowing, Lending, or Doc Del.
- TransactionStatus = Apply this rule to a specific queue.
- MatchString = Apply this rule if it matches your criteria.
- **NewProcessType** = Move the request to Borrowing, Lending, or Doc Del.
- **NewTransactionStatus** = Move the request to a specific queue.
- RuleDescription = A brief note explaining what this rule does.



ids project

- You can't spell MatchString without SQL
 - Boolean operators: AND, OR, NOT
 - Comparison operators: =, <>, >, <, >=, <=</p>
 - Use NULL to test for empty fields
 - Can incorporate advanced SQL functions (i.e. "select")
 - Never use double-quotes
 - All fields have table prefixes (i.e. "u.Status")
 - Don't exceed 255 characters





- MatchStrings can look at data from:
 - Transactions table
 - Users table (Borrowing & Doc Del)
 - LenderAddresses table (Lending)
- Route between Borrowing & Doc Del
- Move to any queue including custom queues





- Routing rule rules to live by
 - Routing rules cannot update an OCLC status
 - No daisy chaining
 - Order is important
 - Requests can get stuck in loops
 - Too many rules will slow down ILLiad
 - Rube Goldbergs can break ILLiad





To the future with the second second

System Addons will change routing forever!

- Route and change OCLC status!
- No character limits!
- Complex algorithms!
- Downloadable!
- They're bigger on the inside!





Email Templates in the Customization Manger

Discuss the following:

Talk with a partner and brainstorm one way you could make an email you send, better.

- Adding unique information from the request
- Changing the language of an email to sound like a human sent it





To copy over an email:

- 1. Open an email file that you currently use
- 2. Choose E-mail Templates in the ribbon.
- Click New to add a new email
- 4. Give the email a name (.txt not required)
- Give the email a description (not used anywhere)
- 6. Copy and paste the body of the email into the editor.

Documentation





Don't forget the Workflow Toolkit

http://idsproject.org/emailtemplates.aspx





Tips and tricks

Right-click to get a field name when typing


There's no spell-check! (use Word first)

Name: must match exactly in the EmailRouting table






When an email and a routing rule really love each other...







They make something really special





Workform Mapping


- 1. What is it?
- 2. Where is it?
- 3. Fields you need to know about
- 4. Why do you need it?





Workform Mapping: What is it?


It tells ILLiad what information to import into the OCLC Work Form when requesting items via OCLC.





Workform Mapping: Where is it?


System | OCLC | WorkFormMapping







Workform Mapping: Fields







Workform Mapping: Fields

ILL	Blank Loan	title	<#LoanTitle>
ILL	Blank Loan	verified	<tn:<#transactionnumber>></tn:<#transactionnumber>
ILL	IDSArticle	article	<#PhotoArticleTitle>
ILL	IDSArticle	articleAuthor	<#PhotoArticleAuthor>
ILL	IDSArticle	copyrightCompliance	<#Copyright>
ILL	IDSArticle	doi	<#DOI>
ILL	IDSArticle	issuedate	<#PhotoJournalMonth> <#PhotoJournalYear>
ILL	IDSArticle	issueNumber	<#PhotoJournalIssue>
ILL	IDSArticle	pages	<#PhotoJournalInclusivePages>
TLL	IDSArtide	natron	∠#LactNameN ∠#FiretNameN

Can only be one OCLCFieldName per entry, but can have multiple ILLiad field names per entry





Workform Mapping: OCLC Fields

- affiliation
- article
- articleauthor
- author
- billingnotes
- billto
- borrowingnotes
- callnumber
- copyrightcomplia nce
- dissertation
- doi
- edition
- email
- fax

- Imprint
- Insurance
- isbn
- issn
- issuedate
- issuenumber
- locations
- maxcostamount
- maxcosttype
- needbeforedate
- pages
- patron
- patronaddress
- patrondepartment
- patronemail

- patronfax
- patronid
- patronnotes
- patronphone
- patronpickuplocation
- patronstatus
- pmid
- series
- shipto
- shipvia
- title
- uniformtitle
- verified
- volume





Workform Mapping: Why?

 Adding or deleting fields you no longer wish imported into the OCLC request

Example: Deleting/Editing Patron information

	ILL	IDSArticle	volume	<#PhotoJournalVolume>
	ILL	Loan	doi	<#DOI>
\prod	ILL	Loan	patron	<#LastName>, <#FirstName>
1	ILL	Loan	pmid	<#PMID>

Switch out <#LastName>, <#FirstName> and leave blank or insert <#Username>






Workform Mapping: Why?

Having Appropriate fields filling in when using the Blank Workform Requests

Example: Adding/fixing the blank Article/blank Loan workforms

- Non-cataloged items
 - Honors' Theses
 - •Specialized collection material
 - •ERIC docs








Workform Mapping: Adding Entries

- New Record icon
- Identify the WorkFormType
- Identify the OCLC field name
- Map to it:
 - any fields in the ILLiad
 Transactions, Users or LocalInfo
 tables
 - Any text message you wish to add







Save



Workform Mapping: More Info

 https://prometheus.atlassys.com/display/illiad/The+WorkFormMapping+Table







ILLiad Web Forms





OSPROJECT Why Talk About Web Forms?

- Creating generic request forms
- Customizing current forms
- Understanding the deployment package
- Knowing what files you need to change





DSPROJECT ILLiad Web Forms: Out of the Box

Where can I download the "Out of the Box" version of ILLiad Web Forms?

https://prometheus.atlas-sys.com/display/illiad/ ILLiad+8.4+Client+Executable+Files#ILLiad8.4ClientExecutableFiles-WebPages

Or ... use Google and search


ILLiad executable

Quoted phrase search not necessary (librarian joke)





IDSPROJECT Where Can I Download The Files?







What's in the Box?


	include_footer	3/16/2013 3:23 PM	Firefox HTML Doc	1 KB
	include_head	3/16/2013 3:23 PM	Firefox HTML Doc	2 KB
↓ Lending	include_header	3/16/2013 3:23 PM	Firefox HTML Doc	1 KB
	include_header_request	3/16/2013 3:23 PM	Firefox HTML Doc	2 KB
ArticleRequest	include_menu	3/16/2013 3:23 PM	Firefox HTML Doc	3 KB
	include_request_buttons	3/16/2013 3:23 PM	Firefox HTML Doc	1 KB
BookChapterRequest	include_request_cited	3/16/2013 3:23 PM	Firefox HTML Doc	2 KB
ChangePassword	LoanRequest	3/16/2013 3:23 PM	Firefox HTML Doc	9 KB
ChangeUserInformation	Logon	3/16/2013 3:23 PM	Firefox HTML Doc	3 KB
ConferencePaperRequest		3/16/2013 3:23 PM	Firefox HTML Doc	2 KB
DetailedInformation	NewAuthRegistration	3/16/2013 3:23 PM	Firefox HTML Doc	10 KB
DisavowedUsername	NewPassword	3/16/2013 3:23 PM	Firefox HTML Doc	2 KB
	NewUserRegistration	3/16/2013 3:23 PM	Firefox HTML Doc	11 KB
	NLMDDSRequest	3/16/2013 3:23 PM	Firefox HTML Doc	2 KB
	Ø OtherRequest	3/16/2013 3:23 PM	Firefox HTML Doc	4 KB
	PatentRequest	3/16/2013 3:23 PM	Firefox HTML Doc	6 KB
	ReportRequest	3/16/2013 3:23 PM	Firefox HTML Doc	6 KB
	StandardsDocumentRequest	3/16/2013 3:23 PM	Firefox HTML Doc	5 KB
	ThesisRequest	3/16/2013 3:23 PM	Firefox HTML Doc	6 KB
	ViewAllRequests	3/16/2013 3:23 PM	Firefox HTML Doc	1 KB
Ø EditReportRequest	ViewDefaultDetailed	3/16/2013 3:23 PM	Firefox HTML Doc	2 KB
€ EditStandardsDocumentRequest	ViewDetailedInformation	3/16/2013 3:23 PM	Firefox HTML Doc	2 KB
≥ EditThesisRequest	ViewNotifications	3/16/2013 3:23 PM	Firefox HTML Doc	1 KB
ElectronicDelivery ElectronicDeliveryInformation	ViewNotificationsDetail	3/16/2013 3:23 PM	Firefox HTML Doc	1 KB
ElectronicDeliveryInformation ElectronicDeliveryUndelete	ViewOutstandingRequests	3/16/2013 3:23 PM	Firefox HTML Doc	1 KB
Error Error	ViewRenewCheckedOutDetailedInformat	3/16/2013 3:23 PM	Firefox HTML Doc	2 KB
	ViewRenewCheckedOutItems	3/16/2013 3:23 PM	Firefox HTML Doc	1 KB
FirstTime	ViewRequestHistory	3/16/2013 3:23 PM	Firefox HTML Doc	1 KB
	ViewResubmitCancelledRequests	3/16/2013 3:23 PM	Firefox HTML Doc	1 KB
Ø GenericRequestTesting Ø	ViewResubmitDetailedInformation	3/16/2013 3:23 PM	Firefox HTML Doc	2 KB
	ViewSearchResults	3/16/2013 3:23 PM	Firefox HTML Doc	1 KB





View Pages

- ViewDetailedInformation
- ViewNotifications
- ViewNotificationsDetail
- ViewOutstandingRequests
- ViewRenewCheckedOutDetailedInformation
- ViewRenewCheckedOutItems
- ViewRequestHistory
- ViewResubmitCancelledRequests
- ViewResubmitDetailedInformation
- ViewSearchResults







View Pages

- ViewAllRequests
- ViewDetailedInformation
- ViewNotifications
- ViewNotificationsDetail
- ViewOutstandingRequests
- ViewRenewCheckedOutDetailedInformation
- ViewRenewCheckedOutItems
- ViewRequestHistory
- ViewResubmitCancelledRequests
- ViewResubmitDetailedInformation
- ViewSearchResults



Requesting your textbooks through IDS?

Milne Library has greatly expanded its Textbook Reserve program. This means that a larger number of your textbooks are available at the Service Desk for 4-hour loans, allowing as many students as possible to benefit from this collection.

Although we understand your need to have a textbook for the entire semester, please note that IDS will not borrow a copy of items on Textbook Reserve from other libraries. This is due to our agreement with other libraries to not request materials that we already have available.

Please also note the following:

Connect w/

Milne

Twitter

Flickr

Facebook

₩ WordPress

- If you do request a textbook that we have on reserve, we will notify you via email that it is available for use at the Service Desk. It may be helpful to bring this email with you, as it will help the Service Desk staff locate the item.
- The latest edition of textbooks are extremely hard to borrow. If we don't already own a copy of a recent edition, we will try our best to borrow one for you
- You are typically unable to borrow textbooks through IDS for an entire semester. Many libraries only allow 4-6 week loan periods.
- . Please do not mark in borrowed textbooks (or any books for that matter) or you may be responsible for replacement charges.

How does IDS work?

Place a request wherever you see the blue "Get It" button or by logging into your IDS account.

- If Milne has it, we'll get it and deliver it to you (usually within 1-2 days).
- Otherwise, we'll try to get it from another library or vendor (usually within 3-7 days).
 We'll notify you via email when your items arrive, or if we run into any difficulties.

How do I renew my IDS materials?

The easy way: log into your IDS Account and view your checked out items. Then click on the transaction number for the item you need to renew and click the "Renew" link at the top of the page.






Request Forms

- ArticleRequest
- BookChapterRequest
- ConferencePaperRequest
 - GenericRequestTesting
- LoanRequest
- OtherRequest
- PatentRequest
- ReportRequest
- StandardsDocumentRequest
- ThesisRequest

Fdit Forms


- EditArticleRequest
- EditBookChapterRequest
- EditConferencePaperRequest
- EditGenericRequestTesting
- EditLoanRequest
- EditOtherRequest
- EditPatentRequest
- EditReportRequest
- EditStandardsDocumentRequest
- EditThesisRequest









Request Forms



Edit Forms










Includes?!? What's the deal?

<u>Includes</u>



Includes are replicable elements (sets of code) that save coding time.

You could think of these as analogous to a "class" or "ID" in .css





Replicable Sets of Code








What if I wanted dropshadow on 1000 pictures? I could just make one class called ".dropshadow" and apply that class to every image, instead of writing the style for each image every time.






Breaking Down the List of Files







Breaking Down the List of Files







ILLiad .dll

Turns <#Command> into real text







How Can I Edit These Files?







Resources: W3C Schools, Stackoverflow, Codeproject





Other Ways to Use Includes

ENTER: LOGAN RATH!

Where are the files located?

Directly in the ILLiad folder (inet pub)

You can ...

- Use the same include for Article request faculty and Article request student
- Create a Form includes folder
- Status will work with includes the same way that they work with webpages
- You can take them to the web person in your library to make these changes





Creating new files on the server: Using the name conventions

GenericRequestMediaRequest EditGenericRequestMediaRequest

You need to have both the Request!





Creating Generic Request Form

Change Form name, change DocumentType and RequestType

```
🖥 logon dbc 📗 Config xml 📳 linksource lua 📳 include_menu html 📴 GenericRequest MediaRequest html
    -<html>
    F<head>
      <title>ILLiad - Media Request</title>
      <link rel="stylesheet" type="text/css" href="css/main.css" media="screen" />
      <link rel="stylesheet" type="text/css" href="css/print.css" media="print" />
    E<!-- (if Ite IE 6)>
      k rel="stylesheet" type="text/css" href="css/ie6 or less.css" />
     <![endif]-->
      </head>
    -<div id="wrap">
         <#INCLUDE filename="include header request.html">
         <div id="content-wrap">
             <#INCLUDE filename="include menu.html">
             <div id="content">
15
                 <form action="illiad.dll" method="post" name="GenericRequestMediaRequest" class="f-wrap-request">
16
17
                     <input type="hidden" name="DocumentType" value="Media">
18
                     <input type="hidden" name="RequestType" value="Loan">
19
                     <input type="hidden" name="Username" value="<#PARAM name="Username">">
20
                     <input type="hidden" name="SessionID" value="<#PARAM name="SessionID">">
21
                     <div class="req"><b>*</b> Indicates required field</div>
22
                     <fieldset>
23
                        <h3>Media Request</h3>
24
                         <#STATUS>
                         <h2>Describe the item you want</h2>
```





Creating Generic Request Form

You need to specify in the CM that movie title is a required field

Web Validation Table

Regular expression match

Web Interface

Formname: GenericRequestMedia

Fieldname: Loantitle

Validation: .+

Error: Please enter movie title

ErrorTag: ERRORLoanTitle

Formname EditThesisRequest
Fieldname NotWantedAfter
Validation [^\d\d\, \d\d\, \d\d\d\s]
Error Not Wanted After is a required field.
ErrorTag ERRORNotWantedAfter

Values for ErrorTag needs to match Fieldname

The beginning of the field will be different LoanTitle vs. ERRORLoanTitle

.+ means that it needs to be filled out Things with dates, \d is digit, brace is length

Marine .	
e	^\d
•	.+
	^\d{4,5}\$ ^(\d{5,5})-(\d{4,4})\$
VantedAfter	[^\d\d\d\d\d\d\d\d\\$]
oJournalTitle	.+
ess	.+





No Radio Buttons!

No Check Boxes!





If you need more in-depth information, go to:

"Flex Your ILLiad Muscles: Maximizing the Strength of Your Online Web Presence" (L. Rath, K. Keegan) Thurs. 10:30am – 11:20am





HELP! I'm Stuck!

- Testweb for the development sandbox
- Atlas Training videos find these through the ILLiad
- IDS Mentors have access to those training videos









OpenURL Mapping

- 1. What is it?
- 2. Where is it?
- 3. Fields
- 4. Why do you need it?





OpenURL Mapping: What is it?

OpenURL tells ILLiad what information to import into the Web Request form from a database.

https://brockport.illiad.oclc.org/illiad/illiad.dll?Action=10&Form=30&sid=EBSCO%3APsycIN
FO&genre=article&artnum=&atitle=Perdeptions=of+high+sohoolHibrary+media+specialists
http://rud+4jrt&dle5rarcye-bren. &atitle=Perdeptions=of+high+sohoolHibrary+media+specialists
http://rud+4jrt&dle5rarcye-bren. &atitle=Perdeptions=of+high+sohoolHibrary+media+specialists
http://rud+4jrt&dle5rarcye-bren. &atitle=Perdeptions=of+high+sohoolHibrary+media+specialists
http://rud+4jrt&dle5rarcye-bren. &atitle=Perdeptions=of+high+sohoolHibrary+media+specialists
http://rud+4jrt&dle5rarcye-bren. &atitle=Receialists
http://rud+4jrt&d

&ssn=&title=Dissertation+Abstracts+International&volume=53





OpenURL Mapping: Where is it?

Web Interface | OpenURL | OpenURL Mapping

	OpenURLMapping						
Id	NVTGC	URL_Ver	rfr_id	ILLiadAction	ILLiadFieldName	OpenURLFieldValues	ILLiadValue
19	ILL	Default	Default	Replace	PhotoJournalVolume	<#rft.volume> <#volume>	
20	ILL	Default	Default	Replace	PhotoJournalYear	<#rft.date> <#date>	DATE yyyy
21	ILL	Default	Default	Substitute:genre	RequestType	article	Article:ArticleRequest.html
22	ILL	Default	Default	Substitute:genre	RequestType	book	Loan:Book:LoanRequest.html
23	ILL	Default	Default	Substitute:genre	RequestType	bookitem	Article:Book Chapter:BookChapterRequest.html
24	ILL	Default	Default	Substitute:genre	RequestType	conference	Article:Conference:ConferencePaperRequest.html
25	ILL	Default	Default	Substitute:genre	RequestType	default	Loan:Book:LoanRequest.html
26	ILL	Default	Default	Substitute:genre	RequestType	dissertation	Loan:Loan:ThesisRequest.html
27	ILL	Default	Default	Substitute:genre	RequestType	journal	Loan:Book:LoanRequest.html
28	ILL	Default	Default	Substitute:genre	RequestType	preprint	Article:ArticleRequest.html
29	ILL	Default	Default	Substitute:genre	RequestType	proceeding	Article:Conference:ConferencePaperRequest.html
30	ILL	Default	Default	Substitute:genre	RequestType	reservesarticle	Article:Article:GenericRequestReservesArticle.html
31	ILL	Default	Default	Substitute:genre	RequestType	reserveschapter	Article:Article:GenericRequestReservesChapter.htm
32	ILL	Default	Default	Substitute:genre	RequestType	reservesloan	Article:Article:GenericRequestReservesLoan.html
33	ILL	Default	Default	Substitute:genre	RequestType	unknown	Article:ArticleRequest.html
34	ILL	Default	Default	Substitute:rft.genre	RequestType	article	Article:ArticleRequest.html
35	ILL	Default	Default	Substitute:rft.genre	RequestType	book	Loan:Book:LoanRequest.html
36	ILL	Default	Default	Substitute:rft.genre	RequestType	bookitem	Article:Book Chapter:BookChapterRequest.html
37	ILL	Default	Default	Substitute:rft.genre	RequestType	conference	Article:Conference:ConferencePaperRequest.html
38	ILL	Default	Default	Substitute:rft.genre	RequestType	default	Loan:Book:LoanRequest.html
39	ILL	Default	Default	Substitute:rft.genre	RequestType	journal	Loan:Book:LoanRequest.html
40	ILL	Default	Default	Substitute:rft.genre	RequestType	preprint	Article:ArticleRequest.html
41	ILL	Default	Default	Substitute:rft.genre	RequestType	proceeding	Article:Conference:ConferencePaperRequest.html
42	TH	Default	Default	Substitute off genre	RequestTyne	unknown	Loan-Book-LoanRequest html





OpenURL Mapping: Where is it?

Entries for Custom Request Types

	OpenURLMapping						
Id	NVTGC	URL_Ver	rfr_id	ILLiadAction	ILLiadFieldName	OpenURLFieldValues	ILLiadValue
19	ILL	Default	Default	Replace	PhotoJournalVolume	<#rft.volume> <#volume>	
20	ILL	Default	Default	Replace	PhotoJournalYear	<#rft.date> <#date>	DATE yyyy
21	ILL	Default	Default	Substitute:genre	RequestType	article	Article:ArticleRequest.html
22	ILL	Default	Default	Substitute:genre	RequestType	book	Loan:Book:LoanRequest.html
23	ILL	Default	Default	Substitute:genre	RequestType	bookitem	Article:Book Chapter:BookChapterRequest.html
24	ILL	Default	Default	Substitute:genre	RequestType	conference	Article:Conference:ConferencePaperRequest.html
25	ILL	Default	Default	Substitute:genre	RequestType	default	Loan:Book:LoanRequest.html
26	ILL	Default	Default	Substitute:genre	RequestType	dissertation	Loan:Loan:ThesisRequest.html
27	ILL	Default	Default	Substitute:genre	RequestType	journal	Loan:Book:LoanRequest.html
28	ILL	Default	Default	Substitute:genre	RequestType	preprint	Article:ArticleRequest.html
29	ILL	Default	Default	Substitute:genre	RequestType	proceeding	Article:Conference:ConferencePaperRequest.html
30	ILL	Default	Default	Substitute:genre	RequestType	reservesarticle	Article:Article:GenericRequestReservesArticle.html
31	ILL	Default	Default	Substitute:genre	RequestType	reserveschapter	Article:Article:GenericRequestReservesChapter.htm
32	ILL	Default	Default	Substitute:genre	RequestType	reservesloan	Article:Article:GenericRequestReservesLoan.html
33	ILL	Default	Default	Substitute:genre	RequestType	unknown	Article:ArticleRequest.html
34	ILL	Default	Default	Substitute:rft.genre	RequestType	article	Article:ArticleRequest.html
35	ILL	Default	Default	Substitute:rft.genre	RequestType	book	Loan:Book:LoanRequest.html
36	ILL	Default	Default	Substitute:rft.genre	RequestType	bookitem	Article:Book Chapter:BookChapterRequest.html
37	ILL	Default	Default	Substitute:rft.genre	RequestType	conference	Article:Conference:ConferencePaperRequest.html
38	ILL	Default	Default	Substitute:rft.genre	RequestType	default	Loan:Book:LoanRequest.html
39	ILL	Default	Default	Substitute:rft.genre	RequestType	journal	Loan:Book:LoanRequest.html
40	ILL	Default	Default	Substitute:rft.genre	RequestType	preprint	Article:ArticleRequest.html
41	ILL	Default	Default	Substitute:rft.genre	RequestType	proceeding	Article:Conference:ConferencePaperRequest.html
42	TH	Default	Default	Substitute off dence	RequestTyne	unknown	Loan:Rook:LoanRequest html





OpenURL Mapping: Fields

This table translates a URL string into values that ILLiad can

understand (<#PARAM>).

OpenURLFieldValues proceeding unknown <#rfr_id>|<#sid> <#rfe_dat> <#rft.isbn>|<#rft.issn>|<#r...</pre> <#rft.au>|<#rft.aulast>, <#...</pre> <#rft.date>|<#date> <#rft.edition> <#rft.place> <#rft.pub> <#rft.btitle>|<#i ft.title>|<#.</pre> <#rft.au>|<#rft.au|a-t <#rft.atitle> < #atitle> <#rft.au>|<#rft.aulast>, <#</pre> <#rft.edition> <#rft.place> <#rft.pub> <#rft.pages>|<#rft.spage>-... <#rft.issue>|<#issue> <#rft.jtitle>|<#rft.title>|<#ti...</pre> <#rft.volume>|<#volume>

<#rft.date>|<#date>





Troubleshooting an OpenURL problem

- Find a <u>decoder</u> (I like the one on meyerweb.com)
- Use a text program to split out the pieces of OpenURL and examine them.
- Check ALL the OpenURL links.

What's going on?	Who you going to call?
Wrong OpenURL string going to link resolver	Database customer support
Wrong OpenURL string into ILLiad	Link Resolver support
Wrong ILLiad page being loaded (w/good link)?	ILLiad support (OCLC)
Something weird and it don't look good?	Ghostbusters!



Questions?

- Any issues you'd like help with?
- Want to know if something's possible?
- Have a crazy idea that just might work?

